





	L [mm]	A [mm]
18W	670	350
36W	1280	700
58W	1580	900




W		kg		!	PXF 0123456 PC	PXF 0123456 AC
1x18W	T8 /G13/	1,20	■		PX2003101	PX2007101
1x36W	T8 /G13/	2,10	■		PX2003108	PX2007108
1x58W	T8 /G13/	2,80	■		PX2003115	PX2007115
2x18W	T8 /G13/	1,90	■		PX2003122	PX2007122
2x36W	T8 /G13/	3,40	■		PX2003129	PX2007129
2x58W	T8 /G13/	4,60	■		PX2003136	PX2007136
1x18W	T8 /G13/	0,90	■	EVG	PX2003143	PX2007143
1x36W	T8 /G13/	1,70	■	EVG	PX2003150	PX2007150
1x58W	T8 /G13/	2,20	■	EVG	PX2003157	PX2007157
2x18W	T8 /G13/	1,60	■	EVG	PX2003164	PX2007164
2x36W	T8 /G13/	2,60	■	EVG	PX2003171	PX2007171
2x58W	T8 /G13/	3,10	■	EVG	PX2003178	PX2007178

AKCESORIA ■ ACCESSORIES ■ ZUBENÖR ■ ДОПОЛНИТЕЛЬНЫЕ ЭЛЕМЕНТЫ




Odblýsник aluminiowy
 Aluminium reflector
 Aluminiumreflektor
 Алюминиевый отражатель





kg	PXF 0123456	!
0,20	PX2018101	1x36W
0,25	PX2018108	1x58W
0,15	PX2018115	2x18W
0,30	PX2018122	2x36W
0,38	PX2018129	2x58W



FIBRA II PC




FIBRA II AC

W				
1X14W	T5/G5/	0,90	☐	PX2011101
1X28W	T5/G5/	1,70	☐	PX2011115
1X35W	T5/G5/	2,20	☐	PX2011122
1X24W	T5/G5/	0,90	☐	PX2011129
1X49W	T5/G5/	2,20	☐	PX2011150
1X54W	T5/G5/	1,70	☐	PX2011143
1X80W	T5/G5/	2,20	☐	PX2011157
2X14W	T5/G5/	1,60	☐	PX2011164
2X28W	T5/G5/	2,60	☐	PX2011178
2X35W	T5/G5/	3,60	☐	PX2011185
2X24W	T5/G5/	1,60	☐	PX2011192
2X49W	T5/G5/	3,60	☐	PX2011213
2X54W	T5/G5/	2,60	☐	PX2011206
2X80W	T5/G5/	3,60	☐	PX2011220




FIBRA II T5     



	L [mm]	A [mm]
14W, 24W	670	350
28W, 54W	1280	700
35W, 49W, 80W	1580	900






AKCESORIA ■ ACCESSORIES ■ ZUBEHÖR ■ ДОПОЛНИТЕЛЬНЫЕ ЭЛЕМЕНТЫ

		
0,20	PX2018330	1x28/54W
0,25	PX2018338	1x35/49/80W
0,30	PX2018345	2x28/54W
0,38	PX2018353	2x35/49/80W


Odblýsniak aluminiowy T5
Aluminium reflector T5
Aluminiumreflektor T5
Алюминиевый отражатель T5



AKCESORIA ■ ACCESSORIES ■ ZUBEHÖR ■ ДОПОЛНИТЕЛЬНЫЕ ЭЛЕМЕНТЫ

		
2,00	TV30218	700x220x130 mm
2,20	TV30236	1300x220x130 mm
2,65	TV30258	1600x220x130 mm

Kratka ochronna
Protective grid
Schutzgitter
Защитная решетка



MONTAŻ ■ INSTALLATION ■ MONTAGE ■ МОНТАЖ



Klipsy ze stali nierdzewnej na zapytanie

Stainless clips available on request
Halteklammern aus Edelstahl auf Anfrage
Защелки из нержавеющей стали по запросу

MONTAŻ ■ INSTALLATION ■ MONTAGE ■ МОНТАЖ



Uchwyty potrzebne do montażu oprawy na suficie / ścianie w komplecie

Ceiling / wall brackets included in the set
Befestigungsteile für Wand-/ Deckemontage im Komplet
Крепления, необходимые для монтажа светильника на потолке/стене, в комплекте

MONTAŻ ■ INSTALLATION ■ MONTAGE ■ МОНТАЖ



Uchwyty potrzebne do zwieszenia oprawy na linie lub łańcuszku w komplecie

Wire / chain brackets included in the set
Befestigungsteile für Seil-/ Kettenabhängung im Komplet
Крепления, необходимые для подвеса на цепочке, в комплекте



Oprawy do pracy w temperaturze do +60°C
- NA ZAPYTANIE

Lighting fixtures for work at temperature up to +60°C
- ON REQUEST

Die Leuchten geeignet zur Arbeit im Umgebungstemperatur bis +60°C - auf Anfrage

Светильники для работы при температуре до +60°C
- ПО ЗАПРОСУ

Oprawy przeciwwybuchowe
- NA ZAPYTANIE

Explosion-proof lighting fixtures
- ON REQUEST

Explosiongeschützte Leuchten
- auf Anfrage

Светильники противовзрывные
- ПО ЗАПРОСУ

FIBRA II PC – IK 08 (5J)
FIBRA II AC – IK 03 (0,3J)